Fluid Phase Equilibria, 70 (1991) 311–312
Elsevier Science Publishers B.V., Amsterdam

Contents Volume 70 (1991)

Volume 70, No. 1

Application of the SPHCT model to the prediction of phase equilibria in CO_2–hydrocarbon systems
L. Ponce-Ramirez, C. Lira-Galeana and C. Tapia-Medina (Mexico, Mexico) 1–18

Vapor–liquid equilibria in the binary systems formed by 1-propanol with 1,2-dichloroethane, 1,1,1-trichloroethane and 1,1,2,2,-tetrachloroethane at 96.7 kPa
R.K. Kumar, M. Venkateshwara Rao and D.H.L. Prasad (Hyderabad, India) 19–32

Phase behavior of reservoir fluids V: SAFT model of CO_2 and bitumen systems
S.H. Huang and M. Radosz (Annandale, NJ, USA) 33–54

The critical properties of 1-alkenes from 1-pentene to 1-dodecene
M.T. Gude, D.J. Rosenthal and A.S. Teja (Atlanta, GA, USA) 55–64

Salt effect in phase equilibria and heat of mixing: effect of dissolved inorganic salts on the liquid–liquid equilibria of ethyl acetate–2-propanol–water system and the vapor–liquid equilibria and heat of mixing of its constituent binaries
M. Rajendran, S. Renganarayanan and D. Srinivasan (Madras, India) 65–106

The phase behavior and gel formation of binary mixtures of carbon dioxide and semifluorinated alkanes
R. Wikramanayake, R. Enick and M. Turberg (Pittsburgh, PA, USA) 107–118

Volume 70, Nos. 2–3

Special Issue: The Berlin Papers. Contributions to the 12th European Seminar on Applied Thermodynamics, Berlin, Germany, 29–30 April 1991

The European seminars on applied thermodynamics and their founder Helmut Knapp
J. de Swaan Arons (Delft, Netherlands) 121–123

Thermodynamics in process development in the chemical industry—importance, benefits, current state and future development
S. Zeck (Ludwigshafen, Germany) 125–140

Microbial growth thermodynamics
S.I. Sandler (Newark, DE, USA) 141–163

Special requirements for calculation methods for soil decontamination processes
M. Streich, G. Lauermann and K. Meister (Hoellriegelskreuth, Germany) . . 165–173

Caloric properties of mixtures of refrigerants R22/R114
K. Stephan and M. Mrzyglod (Stuttgart, Germany) 175–184

On the retrograde condensation of one or two liquids
C.J. Peters, Th.W. de Loos and J. de Swaan Arons (Delft, Netherlands) . . . 185–197

The influence of gas phase fugacity and solubility on correlation of gas-hydrate formation pressure
L. Lundgaard and J.M. Mollerup (Lyngby, Denmark) 199–213
Thermodynamics of liquid mixtures of krypton + ethane
E.J.S. Gomes de Azevedo and J.C.G. Calado (Lisbon, Portugal) 215–225
Isobaric vapor–liquid equilibrium of *t*-butyl alcohol–cyclohexanol system
C. Zhongxiu, H. Wangming, W. Lihua and W. Zhaoli (Hangzhou, China) . . 227–237
Significance of dilute regions
P. Alessi, M. Fermeglia and I. Kikic (Trieste, Italy) 239–250
PSRK: A group contribution equation of state based on UNIFAC
T. Holderbaum and J. Gmehling (Oldenburg, Germany) 251–265
Excess enthalpies of binary mixtures containing α,ω-dibromoalkanes. Measurement and analysis in terms of group contributions (DISQUAC)
M. Artal, J. Muñoz Embid (Paris, France), S. Otín, I. Velasco (Zaragoza, Spain) and H.V. Kehiaian (Paris, France) 267–274
Modification of the NRTL model for ternary and quaternary liquid–liquid equilibrium calculations
I. Nagata and J. Nakajima (Kanazawa, Japan) 275–292
Prediction of viscosities of hydrocarbon mixtures
K. Aasberg-Petersen, K. Knudsen and A. Fredenslund (Lyngby, Denmark) . 293–308

Author Index 309

Contents of Volume 70 (1991) 311–312